



Bridgton

116 Portland Road • Bridgton
207-647-8333 or 800-471-4400 • Fax 207-647-2090

Brunswick

158 Church Road • Brunswick
207-725-5547 or 800-287-2294 • Fax 207-729-7568

Damariscotta

362 Main Street • Damariscotta
207-563-3181 or 800-698-3181 • Fax 207-563-3241

Kennebunk

95 York Street • Kennebunk
207-985-6565 or 800-298-6565 • Fax 207-985-8194

Windham

409 Roosevelt Trail • Windham
207-892-6711 or 800-360-6711 • Fax 207-892-2948

Yarmouth

258 Main Street • Yarmouth
207-846-5555 or 800-559-5564 • Fax 207-846-6127

Specialty and Discount Outlets

Casco Bargain Barn

1279 Poland Spring Rd • Casco
207-627-4453 • Fax 207-627-6029

Marvin Window Store

341 Marginal Way • Portland
207-874-0852 or 877-443-5834 • Fax 207-775-2850

Pittsfield Discount Outlet

407 Stinson St. • Pittsfield
207-487-6116 • Fax 207-487-5248



www.hancocklumber.com



There's beauty everywhere you look

ROUGH OPENING GUIDE

Double Hung



Call Size	Single Unit Rough Opening	Call Size	Double Unit Rough Opening	Grid Layout
DH2036	20 x 36	DH2036-2	39-1/2 x 36	4/4
DH2042	20 x 42	DH2042-2	39-1/2 x 42	4/4
DH2048	20 x 48	DH2048-2	39-1/2 x 48	4/4
DH2054	20 x 54	DH2054-2	39-1/2 x 54	4/4
DH2057	20 x 57	DH2057-2	39-1/2 x 57	4/4
DH2060	20 x 60	DH2060-2	39-1/2 x 60	4/4
DH2066	20 x 66	DH2066-2	39-1/2 x 66	4/4
DH2072	20 x 72	DH2072-2	39-1/2 x 72	6/6
DH2236	22 x 36	DH2236-2	43-1/2 x 36	4/4
DH2242	22 x 42	DH2242-2	43-1/2 x 42	4/4
DH2248	22 x 48	DH2248-2	43-1/2 x 48	4/4
DH2254	22 x 54	DH2254-2	43-1/2 x 54	4/4
DH2257	22 x 57	DH2257-2	43-1/2 x 57	4/4
DH2260	22 x 60	DH2260-2	43-1/2 x 60	4/4
DH2266	22 x 66	DH2266-2	43-1/2 x 66	4/4
DH2272	22 x 72	DH2272-2	43-1/2 x 72	6/6
DH2436	24 x 36	DH2436-2	47-1/2 x 36	4/4
DH2442	24 x 42	DH2442-2	47-1/2 x 42	4/4
DH2448	24 x 48	DH2448-2	47-1/2 x 48	4/4
DH2454	24 x 54	DH2454-2	47-1/2 x 54	4/4
DH2457	24 x 57	DH2457-2	47-1/2 x 57	4/4
DH2460	24 x 60	DH2460-2	47-1/2 x 60	4/4
DH2466	24 x 66	DH2466-2	47-1/2 x 66	4/4
DH2472	24 x 72	DH2472-2	47-1/2 x 72	6/6
DH2636	26 x 36	DH2636-2	51-1/2 x 36	6/6
DH2642	26 x 42	DH2642-2	51-1/2 x 42	6/6
DH2648	26 x 48	DH2648-2	51-1/2 x 48	6/6
DH2654	26 x 54	DH2654-2	51-1/2 x 54	6/6
DH2657	26 x 57	DH2657-2	51-1/2 x 57	6/6
DH2660	26 x 60	DH2660-2	51-1/2 x 60	6/6
DH2666	26 x 66	DH2666-2	51-1/2 x 66	6/6
DH2672	26 x 72	DH2672-2	51-1/2 x 72	9/9
DH2836	28 x 36	DH2836-2	55-1/2 x 36	6/6
DH2842	28 x 42	DH2842-2	55-1/2 x 42	6/6
DH2848	28 x 48	DH2848-2	55-1/2 x 48	6/6
DH2854	28 x 54	DH2854-2	55-1/2 x 54	6/6
DH2857	28 x 57	DH2857-2	55-1/2 x 57	6/6
DH2860	28 x 60	DH2860-2	55-1/2 x 60	6/6
DH2866	28 x 66	DH2866-2	55-1/2 x 66	6/6
DH2872	28 x 72	DH2872-2	55-1/2 x 72	9/9
DH3036	30 x 36	DH3036-2	59-1/2 x 36	6/6
DH3042	30 x 42	DH3042-2	59-1/2 x 42	6/6
DH3048	30 x 48	DH3048-2	59-1/2 x 48	6/6
DH3054	30 x 54	DH3054-2	59-1/2 x 54	6/6
DH3057	30 x 57	DH3057-2	59-1/2 x 57	6/6
DH3060	30 x 60	DH3060-2	59-1/2 x 60	6/6
DH3066	30 x 66	DH3066-2	59-1/2 x 66	6/6
DH3072	30 x 72	DH3072-2	59-1/2 x 72	9/9
DH3236	32 x 36	DH3236-2	63-1/2 x 36	6/6
DH3242	32 x 42	DH3242-2	63-1/2 x 42	6/6
DH3248	32 x 48	DH3248-2	63-1/2 x 48	6/6
DH3254	32 x 54	DH3254-2	63-1/2 x 54	6/6
DH3257	32 x 57	DH3257-2	63-1/2 x 57	6/6
DH3260	32 x 60	DH3260-2	63-1/2 x 60	6/6
DH3266	32 x 66	DH3266-2	63-1/2 x 66	6/6
DH3272	32 x 72	DH3272-2	63-1/2 x 72	9/9


When using interior accessories, Mathews Brothers recommends adding an additional 1/4" to the width and height to these rough openings in the FIELD

Double Hung

Continued

* denotes egress

** top sash lift removed to meet egress




Call Size	Single Unit Rough Opening	Call Size	Double Unit Rough Opening	Grid Layout
DH3436	34 x 36	DH3436-2	67-1/2 x 36	6/6
DH3442	34 x 42	DH3442-2	67-1/2 x 42	6/6
DH3448	34 x 48	DH3448-2	67-1/2 x 48	6/6
DH3454	34 x 54	DH3454-2	67-1/2 x 54	6/6
DH3457	34 x 57	DH3457-2	67-1/2 x 57	6/6
DH3460	34 x 60	DH3460-2	67-1/2 x 60	6/6
DH3466*	34 x 66	DH3466-2	67-1/2 x 66	6/6
DH3472*	34 x 72	DH3472-2	67-1/2 x 72	9/9
DH3636	36 x 36	DH3636-2	71-1/2 x 36	6/6
DH3642	36 x 42	DH3642-2	71-1/2 x 42	6/6
DH3648	36 x 48	DH3648-2	71-1/2 x 48	6/6
DH3654	36 x 54	DH3654-2	71-1/2 x 54	6/6
DH3657	36 x 57	DH3657-2	71-1/2 x 57	6/6
DH3660	36 x 60	DH3660-2	71-1/2 x 60	6/6
DE3660**	36-1/2 x 60-1/2	DE3660-2	72-1/2 x 60-1/2	6/6
DH3666*	36 x 66	DH3666-2	71-1/2 x 66	6/6
DH3672*	36 x 72	DH3672-2	71-1/2 x 72	9/9
DH3836	38 x 36	DH3836-2	75-1/2 x 36	6/6
DH3842	38 x 42	DH3842-2	75-1/2 x 42	6/6
DH3848	38 x 48	DH3848-2	75-1/2 x 48	6/6
DH3854	38 x 54	DH3854-2	75-1/2 x 54	6/6
DH3857	38 x 57	DH3857-2	75-1/2 x 57	6/6
DH3860	38 x 60	DH3860-2	75-1/2 x 60	6/6
DE3860**	38-1/2 x 60-1/2	DE3860-2	76-1/2 x 60-1/2	6/6
DH3866*	38 x 66	DH3866-2	75-1/2 x 66	6/6
DH3872*	38 x 72	DH3872-2	75-1/2 x 72	9/9
DH4036	40 x 36	DH4036-2	79-1/2 x 36	6/6
DH4042	40 x 42	DH4042-2	79-1/2 x 42	6/6
DH4048	40 x 48	DH4048-2	79-1/2 x 48	6/6
DH4054	40 x 54	DH4054-2	79-1/2 x 54	6/6
DH4057	40 x 57	DH4057-2	79-1/2 x 57	6/6
DH4060*	40 x 60	DH4060-2	79-1/2 x 60	6/6
DH4066*	40 x 66	DH4066-2	79-1/2 x 66	6/6
DH4072*	40 x 72	DH4072-2	79-1/2 x 72	9/9
DH4236	42 x 36	DH4236-2	83-1/2 x 36	8/8
DH4242	42 x 42	DH4242-2	83-1/2 x 42	8/8
DH4248	42 x 48	DH4248-2	83-1/2 x 48	8/8
DH4254	42 x 54	DH4254-2	83-1/2 x 54	8/8
DH4257	42 x 57	DH4257-2	83-1/2 x 57	8/8
DH4260*	42 x 60	DH4260-2	83-1/2 x 60	8/8
DH4266*	42 x 66	DH4266-2	83-1/2 x 66	8/8
DH4272*	42 x 72	DH4272-2	83-1/2 x 72	12/12
DH4436	44 x 36	DH4436-2	87-1/2 x 36	8/8
DH4442	44 x 42	DH4442-2	87-1/2 x 42	8/8
DH4448	44 x 48	DH4448-2	87-1/2 x 48	8/8
DH4454	44 x 54	DH4454-2	87-1/2 x 54	8/8
DH4457	44 x 57	DH4457-2	87-1/2 x 57	8/8
DH4460*	44 x 60	DH4460-2	87-1/2 x 60	8/8
DH4466*	44 x 66	DH4466-2	87-1/2 x 66	8/8
DH4472*	44 x 72	DH4472-2	87-1/2 x 72	12/12
DH4836	48 x 36	DH4836-2	95-1/2 x 36	8/8
DH4842	48 x 42	DH4842-2	95-1/2 x 42	8/8
DH4848	48 x 48	DH4848-2	95-1/2 x 48	8/8
DH4854	48 x 54	DH4854-2	95-1/2 x 54	8/8
DH4857	48 x 57	DH4857-2	95-1/2 x 57	8/8
DH4860*	48 x 60	DH4860-2	95-1/2 x 60	8/8
DH4866*	48 x 66	DH4866-2	95-1/2 x 66	8/8
DH4872*	48 x 72	DH4872-2	95-1/2 x 72	12/12

When using interior accessories, Mathews Brothers recommends adding an additional 1/4" to the width and height to these rough openings in the FIELD

Sliders


* denotes egress



Call Size	Single Unit Rough Opening	Call Size	Double Unit Rough Opening	Grid Layout
HS2424	24 x 24	DS2424	24 x 24	2-2
HS2436	24 x 36	DS2436	24 x 36	3-3
HS2442	24 x 42	DS2442	24 x 42	3-3
HS2448	24 x 48	DS2448	24 x 48	4-4
HS2460	24 x 60	DS2460	24 x 60	5-5
HS3624	36 x 24	DS3624	36 x 24	4-4
HS3636	36 x 36	DS3636	36 x 36	6-6
HS3642	36 x 42	DS3642	36 x 42	6-6
HS3648	36 x 48	DS3648	36 x 48	8-8
HS3660	36 x 60	DS3660	36 x 60	10-10
HS4824	48 x 24	DS4824	48 x 24	4-4
HS4836	48 x 36	DS4836	48 x 36	6-6
HS4842	48 x 42	DS4842	48 x 42	6-6
HS4848	48 x 48	DS4848	48 x 48	8-8
HS4860	48 x 60	DS4860	48 x 60	10-10
HS6024	60 x 24	DS6024	60 x 24	6-6
HS6036	60 x 36	DS6036	60 x 36	9-9
HS6042*	60 x 42	DS6042*	60 x 42	9-9
HS6048*	60 x 48	DS6048*	60 x 48	12-12
HS6060*	60 x 60	DS6060*	60 x 60	15-15
HS7224	72 x 24	DS7224	72 x 24	6-6
HS7236*	72 x 36	DS7236*	72 x 36	9-9
HS7242*	72 x 42	DS7242*	72 x 42	9-9
HS7248*	72 x 48	DS7248*	72 x 48	12-12
HS7260*	72 x 60	DS7260*	72 x 60	15-15

Horizontal Picture Slider

1/4-1/2-1/4 layout




Call Size	Single Unit Rough Opening	Grid Layout	Call Size	Single Unit Rough Opening	Grid Size
HP7236	72 x 36	6-12-6	HT7236	72 x 36	6-6-6
HP7248	72 x 48	8-16-8	HT7248	72 x 48	8-8-8
HP7260	72 x 60	10-20-10	HT7260	72 x 60	10-10-10
HP8436	84 x 36	6-12-6	HT8436	84 x 36	6-6-6
HP8448	84 x 48	8-16-8	HT8448	84 x 48	8-8-8
HP8460	84 x 60	10-20-10	HT8460	84 x 60	10-10-10
HP9636	96 x 36	9-18-9	HT9636	96 x 36	9-9-9
HP9648	96 x 48	12-24-12	HT9648	96 x 48	12-12-12
HP9660	96 x 60	15-30-15	HT9660	96 x 60	15-15-15
HP10836	108 x 36	9-18-9	HT10836	108 x 36	9-9-9
HP10848	108 x 48	12-24-12	HT10848	108 x 48	12-12-12
HP10860	108 x 60	15-30-15	HT10860	108 x 60	15-15-15
HP12036	120 x 36	9-18-9	HT12036	120 x 36	9-9-9
HP12048	120 x 48	12-24-12	HT12048	120 x 48	12-12-12
HP12060	120 x 60	15-30-15	HT12060	120 x 60	15-15-15

When using interior accessories, Mathews Brothers recommends adding an additional 1/4" to the width and height to these rough openings in the FIELD


Casements

* Meets Egress with standard hardware
 ** Meets Egress w/special hardware (please specify)



Call Size	Single Unit Rough Opening	Call Size	Double Unit Rough Opening	Grid Layout
CA1824	18 x 24	CA1824-2	35-1/2 x 24	4
CA1836	18 x 36	CA1836-2	35-1/2 x 36	6
CA1842	18 x 42	CA1842-2	35-1/2 x 42	8
CA1848	18 x 48	CA1848-2	35-1/2 x 48	8
CA1854	18 x 54	CA1854-2	35-1/2 x 54	8
CA1860	18 x 60	CA1860-2	35-1/2 x 60	10
CA1866	18 x 66	CA1866-2	35-1/2 x 66	10
CA1872	18 x 72	CA1872-2	35-1/2 x 72	12
CA2024	20 x 24	CA2024-2	39-1/2 x 24	4
CA2036	20 x 36	CA2036-2	39-1/2 x 36	6
CA2042	20 x 42	CA2042-2	39-1/2 x 42	8
CA2048	20 x 48	CA2048-2	39-1/2 x 48	8
CA2054	20 x 54	CA2054-2	39-1/2 x 54	8
CA2060	20 x 60	CA2060-2	39-1/2 x 60	10
CA2066	20 x 66	CA2066-2	39-1/2 x 66	10
CA2072	20 x 72	CA2072-2	39-1/2 x 72	12
CA2424	24 x 24	CA2424-2	47-1/2 x 24	4
CA2436	24 x 36	CA2436-2	47-1/2 x 36	6
CA2442	24 x 42	CA2442-2	47-1/2 x 42	8
CA2448	24 x 48	CA2448-2	47-1/2 x 48	8
CA2454	24 x 54	CA2454-2	47-1/2 x 54	8
CA2460	24 x 60	CA2460-2	47-1/2 x 60	10
CA2466	24 x 66	CA2466-2	47-1/2 x 66	10
CA2472	24 x 72	CA2472-2	47-1/2 x 72	12
CA2836	28 x 36	CA2836-2	55-1/2 x 36	6
CA2842	28 x 42	CA2842-2	55-1/2 x 42	6
CA2848**	28 x 48	CA2848-2	55-1/2 x 48	8
CA2854**	28 x 54	CA2854-2	55-1/2 x 54	8
CA2860**	28 x 60	CA2860-2	55-1/2 x 60	10
CA2866**	28 x 66	CA2866-2	55-1/2 x 66	10
CA2872**	28 x 72	CA2872-2	55-1/2 x 72	12
CA3036	30 x 36	CA3036-2	59-1/2 x 36	9
CA3042**	30 x 42	CA3042-2	59-1/2 x 42	9
CA3048**	30 x 48	CA3048-2	59-1/2 x 48	12
CA3054**	30 x 54	CA3054-2	59-1/2 x 54	12
CA3060**	30 x 60	CA3060-2	59-1/2 x 60	15
CA3066**	30 x 66	CA3066-2	59-1/2 x 66	15
CA3072**	30 x 72	CA3072-2	59-1/2 x 72	18
CA3636**	36 x 36	CA3636-2	71-1/2 x 36	9
CA3642*	36 x 42	CA3642-2	71-1/2 x 42	9
CA3648*	36 x 48	CA3648-2	71-1/2 x 48	12
CA3654*	36 x 54	CA3654-2	71-1/2 x 54	12
CA3660*	36 x 60	CA3660-2	71-1/2 x 60	15
CA3666*	36 x 66	CA3666-2	71-1/2 x 66	15
CA3672*	36 x 72	CA3672-2	71-1/2 x 72	18


Casement Picture



Call Size	Rough Opening	Grid Layout
CP1824	18 x 24	4
CP1836	18 x 36	6
CP1842	18 x 42	6
CP1848	18 x 48	8
CP1854	18 x 54	8
CP1860	18 x 60	10
CP1866	18 x 66	10
CP1872	18 x 72	12
CP2024	20 x 24	4
CP2036	20 x 36	6
CP2042	20 x 42	6
CP2048	20 x 48	8
CP2054	20 x 54	8
CP2060	20 x 60	10
CP2066	20 x 66	10
CP2072	20 x 72	12
CP2424	24 x 24	4
CP2436	24 x 36	6
CP2442	24 x 42	6
CP2448	24 x 48	8
CP2454	24 x 54	8
CP2460	24 x 60	10
CP2466	24 x 66	10
CP2472	24 x 72	12
CP2824	28 x 24	4
CP2836	28 x 36	6
CP2842	28 x 42	6
CP2848	28 x 48	8
CP2854	28 x 54	8
CP2860	28 x 60	10
CP2866	28 x 66	10
CP2872	28 x 72	12
CP3024	30 x 24	6
CP3036	30 x 36	9
CP3042	30 x 42	9
CP3048	30 x 48	12
CP3054	30 x 54	12
CP3060	30 x 60	15
CP3066	30 x 66	15
CP3072	30 x 72	18
CP3624	36 x 24	6
CP3636	36 x 36	9
CP3642	36 x 42	9
CP3648	36 x 48	12
CP3654	36 x 54	12
CP3660	36 x 60	15
CP3666	36 x 66	15
CP3672	36 x 72	18
CP4024	40 x 24	8
CP4036	40 x 36	12
CP4042	40 x 42	12
CP4048	40 x 48	16
CP4054	40 x 54	16
CP4060	40 x 60	20
CP4066	40 x 66	20
CP4072	40 x 72	24

Casement Picture

Continued



Call Size	Rough Opening	Grid Layout
CP4824	48 x 24	8
CP4836	48 x 36	12
CP4842	48 x 42	12
CP4848	48 x 48	16
CP4854	48 x 54	16
CP4860	48 x 60	20
CP4866	48 x 66	20
CP4872	48 x 72	24
CP5624	56 x 24	10
CP5636	56 x 36	15
CP5642	56 x 42	15
CP5648	56 x 48	20
CP5654	56 x 54	20
CP5660	56 x 60	25
CP5666	56 x 66	25
CP5672	56 x 72	30
CP6024	60 x 24	10
CP6036	60 x 36	15
CP6042	60 x 42	15
CP6048	60 x 48	20
CP6054	60 x 54	20
CP6060	60 x 60	25
CP6066	60 x 66	25
CP6072	60 x 72	30
CP7224	72 x 24	12
CP7236	72 x 36	18
CP7242	72 x 42	18
CP7248	72 x 48	24
CP7254	72 x 54	24
CP7260	72 x 60	30
CP7266	72 x 66	30
CP7272	72 x 72	36

When using interior accessories, Mathews Brothers recommends adding an additional 1/4" to the width and height to these rough openings in the FIELD


When using interior accessories, Mathews Brothers recommends adding an additional 1/4" to the width and height to these rough openings in the FIELD

Triple Casement



Call Size	Rough Opening	Grid Layout
CA1836-3	53 x 36	6
CA1842-3	53 x 42	8
CA1848-3	53 x 48	8
CA1854-3	53 x 54	8
CA1860-3	53 x 60	10
CA1866-3	53 x 66	10
CA1872-3	53 x 72	12
CA2024-3	59 x 24	4
CA2036-3	59 x 36	6
CA2042-3	59 x 42	8
CA2048-3	59 x 48	8
CA2054-3	59 x 54	8
CA2060-3	59 x 60	10
CA2066-3	59 x 66	10
CA2072-3	59 x 72	12
CA2424-3	71 x 24	4
CA2436-3	71 x 36	6
CA2442-3	71 x 42	8
CA2448-3	71 x 48	8
CA2454-3	71 x 54	8
CA2460-3	71 x 60	10
CA2466-3	71 x 66	10
CA2472-3	71 x 72	12
CA2836-3	83 x 36	6
CA2842-3	83 x 42	6
CA2848-3	83 x 48	8
CA2854-3	83 x 54	8
CA2860-3	83 x 60	10
CA2866-3	83 x 66	10
CA2872-3	83 x 72	12
CA3036-3	89 x 36	9
CA3042-3	89 x 42	9
CA3048-3	89 x 48	12
CA3054-3	89 x 54	12
CA3060-3	89 x 60	15
CA3066-3	89 x 66	15
CA3072-3	89 x 72	18
CA3636-3	107 x 36	9
CA3642-3	107 x 42	9
CA3648-3	107 x 48	12
CA3654-3	107 x 54	12
CA3660-3	107 x 60	15
CA3666-3	107 x 66	15
CA3672-3	107 x 72	18

Awning



Call Size	Rough Opening	Grid Layout
AW2418	24 x 18	4
AW2420	24 x 20	4
AW2424	24 x 24	4
AW2428	24 x 28	4
AW2436	24 x 36	6
AW3018	30 x 18	6
AW3020	30 x 20	6
AW3024	30 x 24	6
AW3028	30 x 28	6
AW3036	30 x 36	9
AW3618	36 x 18	6
AW3620	36 x 20	6
AW3624	36 x 24	6
AW3628	36 x 28	6
AW3636	36 x 36	9
AW3642	36 x 42	9
AW4218	42 x 18	6
AW4220	42 x 20	6
AW4224	42 x 24	6
AW4228	42 x 28	6
AW4236	42 x 36	9
AW4242	42 x 42	9
AW4818	48 x 18	8
AW4820	48 x 20	8
AW4824	48 x 24	8
AW4828	48 x 28	8
AW4836	48 x 36	12
AW4842	48 x 42	12
AW5418	54 x 18	8
AW5420	54 x 20	8
AW5424	54 x 24	8
AW5428	54 x 28	8
AW5436	54 x 36	12
AW5442	54 x 42	12
AW6018	60 x 18	10
AW6020	60 x 20	10
AW6024	60 x 24	10
AW6028	60 x 28	10
AW6036	60 x 36	15
AW6042	60 x 42	15

Picture



Call Size	Rough Opening	Grid Layout
PW4036	40 x 36	16
PW4042	40 x 42	16
PW4048	40 x 48	16
PW4054	40 x 54	16
PW4057	40 x 57	16
PW4060	40 x 60	16
PW4066	40 x 66	16
PW4072	40 x 72	24
PW4436	44 x 36	16
PW4442	44 x 42	16
PW4448	44 x 48	16
PW4454	44 x 54	16
PW4457	44 x 57	16
PW4460	44 x 60	16
PW4466	44 x 66	16
PW4472	44 x 72	24
PW4836	48 x 36	16
PW4842	48 x 42	16
PW4848	48 x 48	16
PW4854	48 x 54	16
PW4857	48 x 57	16
PW4860	48 x 60	16
PW4866	48 x 66	16
PW4872	48 x 72	24
PW5236	52 x 36	20
PW5242	52 x 42	20
PW5248	52 x 48	20
PW5254	52 x 54	20
PW5257	52 x 57	20
PW5260	52 x 60	20
PW5266	52 x 66	20
PW5272	52 x 72	30
PW5636	56 x 36	20
PW5642	56 x 42	20
PW5648	56 x 48	20
PW5654	56 x 54	20
PW5657	56 x 57	20
PW5660	56 x 60	20
PW5666	56 x 66	20
PW5672	56 x 72	30
PW6036	60 x 36	20
PW6042	60 x 42	20
PW6048	60 x 48	20
PW6054	60 x 54	20
PW6057	60 x 57	20
PW6060	60 x 60	20
PW6066	60 x 66	20
PW6072	60 x 72	30
PW6436	64 x 36	24
PW6442	64 x 42	24
PW6448	64 x 48	24
PW6454	64 x 54	24
PW6457	64 x 57	24
PW6460	64 x 60	24
PW6466	64 x 66	24
PW6472	64 x 72	36


Picture

Continued



Call Size	Rough Opening	Grid Layout
PW6836	68 x 36	24
PW6842	68 x 42	24
PW6848	68 x 48	24
PW6854	68 x 54	24
PW6857	68 x 57	24
PW6860	68 x 60	24
PW6866	68 x 66	24
PW6872	68 x 72	36
PW7236	72 x 36	24
PW7242	72 x 42	24
PW7248	72 x 48	24
PW7254	72 x 54	24
PW7257	72 x 57	24
PW7260	72 x 60	24
PW7266	72 x 66	24

Transom




Call Size	Rough Opening	Grid Layout
TR2612	26 x 12	3
TR2618	26 x 18	3
TR2624	26 x 24	6
TR2812	28 x 12	3
TR2818	28 x 18	3
TR2824	28 x 24	6
TR3012	30 x 12	3
TR3018	30 x 18	3
TR3024	30 x 24	6
TR3212	32 x 12	3
TR3218	32 x 18	3
TR3224	32 x 24	6
TR3412	34 x 12	3
TR3418	34 x 18	3
TR3424	34 x 24	6
TR3612	36 x 12	3
TR3618	36 x 18	3
TR3624	36 x 24	6
TR4012	40 x 12	3
TR4018	40 x 18	3
TR4024	40 x 24	6
TR4412	44 x 12	4
TR4418	44 x 18	4
TR4424	44 x 24	8
TR4812	48 x 12	4
TR4818	48 x 18	4
TR4824	48 x 24	8
TR5612	56 x 12	6
TR5618	56 x 18	6
TR5624	56 x 24	12
TR6412	64 x 12	6
TR6418	64 x 18	6
TR6424	64 x 24	12
TR7212	72 x 12	6
TR7218	72 x 18	6
TR7224	72 x 24	12
TR9614	96-1/2 x 14	12
TR10814	108-1/2 x 14	14
TR11014	110 x 14	14

When using interior accessories, Mathews Brothers recommends adding an additional 1/4" to the width and height to these rough openings in the FIELD


When using interior accessories, Mathews Brothers recommends adding an additional 1/4" to the width and height to these rough openings in the FIELD

Extended Eyebrow




Call Size	Rough Opening	Grid Layout
EA24A	24 x 12	4 / 3
EA28A	28 x 12-3/4	4 / 3
EA32A	32 x 13-1/2	4 / 3
EA36A	36 x 14-1/4	4 / 3
EA40A	40 x 15-1/8	4 / 3
EA44A	44 x 15-3/4	4 / 3
EA48A	48 x 16-5/8	4 / 3
EA60A	60 x 18-7/8	4 / 3
EA72A	72 x 21-1/8	4 / 3
EA24B	24 x 24	4 / 4
EA28B	28 x 24-3/4	4 / 6
EA32B	32 x 25-1/2	4 / 6
EA36B	36 x 26-1/4	4 / 6
EA40B	40 x 27-1/8	4 / 6
EA44B	44 x 27-3/4	8 / 8
EA48B	48 x 28-5/8	8 / 8
EA60B	60 x 30-7/8	10 / 10
EA72B	72 x 33-1/8	10 / 12
EA24C	24 x 36	7 / 6
EA28C	28 x 36-3/4	7 / 9
EA32C	32 x 37-1/2	7 / 9
EA36C	36 x 38-1/4	7 / 9
EA40C	40 x 39-1/8	7 / 9
EA44C	44 x 39-3/4	10 / 12
EA48C	48 x 40-5/8	10 / 12
EA60C	60 x 42-7/8	13 / 15
EA72C	72 x 45-1/8	16 / 18
EA24D	24 x 44	10 / 6
EA28D	28 x 44-3/4	10 / 9
EA32D	32 x 45-1/2	10 / 9
EA36D	36 x 46-1/4	10 / 9
EA40D	40 x 47-1/8	10 / 9
EA44D	44 x 47-3/4	14 / 12
EA48D	48 x 48-5/8	14 / 12
EA60D	60 x 50-7/8	18 / 15
EA72D	72 x 53-1/8	22 / 18

Extended Eyebrow Continued




Call Size	Rough Opening	Grid Layout
EA24E	24 x 48	13 / 8
EA28E	28 x 48-3/4	13 / 12
EA32E	32 x 49-1/2	13 / 12
EA36E	36 x 50-1/4	13 / 12
EA40E	40 x 51-1/8	13 / 12
EA44E	44 x 51-3/4	18 / 16
EA48E	48 x 52-5/8	18 / 16
EA60E	60 x 54-7/8	23 / 20
EA72E	72 x 57-1/8	29 / 30
EA24F	24 x 52	13 / 8
EA28F	28 x 52-3/4	13 / 12
EA32F	32 x 53-1/2	13 / 12
EA36F	36 x 54-1/4	13 / 12
EA40F	40 x 55-1/8	13 / 12
EA44F	44 x 55-3/4	18 / 16
EA48F	48 x 56-5/8	18 / 16
EA60F	60 x 58-7/8	23 / 20
EA24G	24 x 60	16 / 8
EA28G	28 x 60-3/4	16 / 12
EA32G	32 x 61-1/2	16 / 12
EA36G	36 x 62-1/4	16 / 12
EA40G	40 x 63-1/8	16 / 12
EA44G	44 x 63-3/4	22 / 16
EA48G	48 x 64-5/8	22 / 16
EA60G	60 x 66-7/8	28 / 20
EA24H	24 x 66	17 / 10
EA28H	28 x 66-3/4	17 / 15
EA32H	32 x 67-1/2	17 / 15
EA36H	36 x 68-1/4	17 / 15
EA40H	40 x 69-1/8	17 / 15
EA44H	44 x 69-3/4	22 / 20
EA48H	48 x 70-5/8	22 / 20
EA60H	60 x 72-7/8	28 / 25

Sliding Patio Door-2 Panels




Call Size	Rough Opening	Grid Layout
PD5068	60 x 80	15-15
PD6068	72 x 80	15-15
PD8068	96 x 80	20-20
PD50611	60 x 82-1/2	15-15
PD60611	72 x 82-1/2	15-15
PD80611	96 x 82-1/2	20-20

Sliding Patio Door-3 Panels





Call Size	Rough Opening	Grid Layout
PD7668	90 x 80	15-15-15
PD9068	108 x 80	15-15-15
PD12068-3	144 x 80	20-20-20
PD76611	90 x 82-1/2	15-15-15
PD90611	108 x 82-1/2	15-15-15
PD120611-3	144 x 82-1/2	20-20-20

Sliding Patio Door-4 Panels



Call Size	Rough Opening	Grid Layout
PD10068	119 x 80	15-15-15-15
PD12068-4	143 x 80	15-15-15-15
PD100611	119 x 82-1/2	15-15-15-15
PD120611-4	143 x 82-1/2	15-15-15-15

Other Shapes Available




Bow



Call Size	Rough Opening	Grid Layout
3 / 4 lite	72 x 48	8 / 8
3 / 4 lite	72 x 60	8 / 8
3 / 4 lite	72 x 72	10 / 10
3 / 4 / 5 lite	84 x 48	8 / 8 / 8
3 / 4 / 5 lite	84 x 60	8 / 8 / 8
3 / 4 / 5 lite	84 x 72	10 / 10 / 10
3 / 4 / 5 lite	96 x 48	12 / 8 / 8
3 / 4 / 5 lite	96 x 60	12 / 8 / 8
3 / 4 / 5 lite	96 x 72	15 / 10 / 10
3 / 4 / 5 lite	108 x 48	12 / 8 / 8
3 / 4 / 5 lite	108 x 60	12 / 8 / 8
3 / 4 / 5 lite	108 x 72	15 / 10 / 10

Bay




Call Size	Rough Opening	Grid Layout
30°- 7248	72 x 48	4/4 - 12 - 4/4
30°- 7260	72 x 60	4/4 - 12 - 4/4
30°- 7272	72 x 72	4/4 - 12 - 4/4
30°- 8448	84 x 48	4/4 - 12 - 4/4
30°- 8460	84 x 60	4/4 - 12 - 4/4
30°- 8472	84 x 72	4/4 - 12 - 4/4
30°- 9648	96 x 48	4/4 - 12 - 4/4
30°- 9660	96 x 60	4/4 - 12 - 4/4
30°- 9672	96 x 72	4/4 - 12 - 4/4
30°- 10848	108 x 48	6/6 - 20 - 6/6
30°- 10860	108 x 60	6/6 - 20 - 6/6
30°- 10872	108 x 72	6/6 - 20 - 6/6
45°- 7248	72 x 48	4/4 - 12 - 4/4
45°- 7260	72 x 60	4/4 - 12 - 4/4
45°- 7272	72 x 72	4/4 - 12 - 4/4
45°- 8448	84 x 48	4/4 - 12 - 4/4
45°- 8460	84 x 60	4/4 - 12 - 4/4
45°- 8472	84 x 72	4/4 - 12 - 4/4
45°- 9648	96 x 48	6/6 - 20 - 6/6
45°- 9660	96 x 60	6/6 - 20 - 6/6
45°- 9672	96 x 72	6/6 - 20 - 6/6
45°- 10848	108 x 48	6/6 - 20 - 6/6
45°- 10860	108 x 60	6/6 - 20 - 6/6
45°- 10872	108 x 72	6/6 - 20 - 6/6

Oval




Call Size	Rough Opening	Grid Layout
OV3046	30 x 46	4 colonial
OV3656	36 x 56	4 colonial

Octagon




Call Size	Rough Opening	Grid Layout
OTG2424	24 x 24	9 lite colonial
OTG3232	32 x 32	9 lite colonial
OTG3636	36 x 36	9 lite colonial
OTG4848	48 x 48	9 lite colonial

Ellipse



Call Size	Rough Opening	Grid Layout
EL6018	60 x 18	4 lite spokes
EL7220	72 x 20	4 lite spokes

Half Round



Call Size	Rough Opening	Grid Layout
HR34	34 x 17-1/4	Star/Sunburst
HR36	36 x 18-1/4	Star/Sunburst
HR38	38 x 19-1/4	Star/Sunburst
HR40	40 x 20-1/4	Star/Sunburst
HR68	68 x 34-1/4	Star/Sunburst
HR72	72 x 36-1/4	Star/Sunburst
HR73	73 x 36-3/4	Star/Sunburst

Full Circle



Call Size	Rough Opening	Grid Layout
CI3030	30 x 30	9 lite colonial
CI3636	36 x 36	9 lite colonial

When using interior accessories, Mathews Brothers recommends adding an additional 1/4" to the width and height to these rough openings in the FIELD

When using interior accessories, Mathews Brothers recommends adding an additional 1/4" to the width and height to these rough openings in the FIELD